

Model:	Item #:	Date:

_____ Qty:_____ Approved By:_____

12" Wide Space Saver Hand Sinks

Hand Sinks

HS-9L 12" Wide Hand Sink



HS-9-LS/RS Side Splash on one side



HS-9-LS shown

HS-9-LF **Faucet Not Included**



HS-21 Heavy Duty Faucet

Project:_



HS-30L Side Splashes



HS-30-LF Side Splashes, Faucet not included



HS-35 Eyewash Station



HS-31 Soap & Towel Dispenser with P-Trap & Overflow



HS-32 Soap & Towel Dispenser with P-Trap, Overflow, & Side Splashes



HS-37 Soap & Towel Dispenser w/ P-Trap, Overflow & Stainless Steel Skirt



SPECIFIC	CATIONS	
Fabrication	20 gauge stainless steel	
Bowl	9-3/4"W x 12-1/2"L x 6" Deep drawn bowl with stamped rim to prevent spillage	
Wall Mount Bracket	Offset design for added strength	
Faucet	4" Center Wall Mount included on most models	
Drain	1-1/2" Stainless steel drain	
Drain with Overflow	Stainless steel with plastic overflrow tube and inlet	
Plumbing	1/2" IPS hot and cold water. 1-1/2" IPS drain outlet. Install at 36" working height. 1/2" faucet supply 12" from floor. 1-1/2" drain line 23-1/4" from floor.	
Lead Free	Faucet included is certified to NSF/ANSI 61 and 372 and conforms with the lead content requirements for lead free plumbing as defined by the U.S. Safe Drinking Water Act. Hand sink is certified NSF-2.	

OPTION	IAL ACCESSORIES
21-311L	Wrist Blade Handle Kit
21-300L	Silver Series Faucet Valve Repair Kit
23-157	Overflow Assembly
H-100	Chrome Plated 1-1/2" IPS P-Trap
H-101	Deck Mount Soap Dispenser
H-105	Wall Mount Towel Dispenser
H-108-9	12"W x 17"D Stainless Steel Skirt, Factory Installed
H-110	Side Support Brackets
H-115	12"W Soap & Towel Dispenser
H-116	Wall Mount Soap Dispenser
FG-L9	17"D Factory Installed Left Side Splash
FG-R9	17"D Factory Installed Right Side Splash
FG-LR9	17"D Factory Installed Left & Right Side Splashes
SG-L9	17"D Field Installed Left Side Splash
SG-R9	17"D Field Installed Right Side Splash
SG-LR9	17"D Field Installed Left & Right Side Splashes

⚠ Warning: This product can expose you to chemicals including lead and lead compounds which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.





Model:

Item #:_____ Date:_


Project:_

Qty:___

Approved By:_

12" Wide Space Saver Hand Sinks

Hand Sinks



NSF